

Check list of spiders of the Czech Republic

JAN BUCAR¹, VLASTIMIL RŮŽIČKA² & ANTONÍN KŮRKA³

¹Department of Zoology, Faculty of Sciences, Charles University,
Viničná 7, 128 44 Praha 2, Czech Republic

²Institute of Entomology, Czech Academy of Sciences, Branišovská 31,
370 05 České Budějovice Czech Republic

³National Museum, Václavské náměstí 68, 115 79 Praha 1, Czech Republic

Abstract. A list of 773 species (one of them with two subspecies) of spiders from the Czech Republic is presented. 15 species are not included in the list: two species were found during a short period only inside buildings, and the other 13 species have not been found in recent times.

INTRODUCTION

In 1.1.1994 a new country, the Czech Republic, began. A modern study of this territory began in the middle of 19th century (K. Prach, A. Nosek). Most of their species were collected in 20th century (F. Miller, J. Kratochvíl and many other arachnologist and biologist). In a recent paper Buchar (1992) showed that 677 species of spiders were found during the period from 1951 to 1985 in the Bohemia (western part of the Czech Republic). Before that time 11 and since that time 23 species of spiders were collected there. 62 further species are known from Moravia and Silesia (eastern part of the Czech Republic). We do not incorporate into the Czech fauna of spiders two species [*Hasarius adansoni* (Audouin, 1826) and *Heteropoda venatoria* (Linné, 1758)], which have made short-term populations in air-conditioned buildings only, and the other 13 species not collected in recent times and absent in all known collections [*Alopecosa fabrilis* (Clerck, 1757), *Harpactea saeva* Herman, 1879, *Cheiracanthium punctorium* (Villers, 1789), *Diplocephalus protuberans* (O. P.-Cambridge, 1875), *Emblyna brevidens* (Kulczyński, 1897), *Erigone longipalpis* (Sundevall, 1830), *Hilaira montigena* (L. Koch, 1872), *Pardosa wagleri* (Hahn, 1822), *Philodromus corticinus* (C. L. Koch, 1837), *Philodromus poecilus* (Thorell, 1872), *Poecilochroa variana* (C. L. Koch, 1839), *Scotina gracilipes* (Blackwall, 1859) and *Tapinocyba pallens* (O. P.-Cambridge, 1872)]. The arrangement of families in our check list is derived from the present catalog of world spider fauna (Platnick, 1993).

CHECK LIST

Atypidae

Atypus affinis Eichwald, 1830

Atypus muralis Bertkau, 1890

Atypus piceus (Sulzer, 1776)

Scytodidae

Scytodes thoracica (Latreille, 1802)

Pholcidae

Pholcus opilionoides (Schrank, 1781)

Pholcus phalangioides (Fuesslin, 1775)

Segestriidae

Segestria bavarica C. L. Koch, 1843

Segestria senoculata (Linné, 1758)

Dysderidae

Dysdera erythrina (Walckenaer, 1802)

Dysdera ninnii Canestrini, 1868

Harpactea hombergi (Scopoli, 1763)

Harpactea lepida (C. L. Koch, 1838)

Harpactea rubicunda (C. L. Koch, 1838)

Oonopidae

Oonops domesticus Dalmas, 1916

Mimetidae

Ero aphana (Walckenaer, 1802)

Ero furcata (Villers, 1789)

Ero tuberculata (Degeer, 1778)

Eresidae

Eresus cinnaberinus (Olivier, 1789)

Uloboridae

Hyptiotes paradoxus (C. L. Koch, 1834)

Nesticidae

Nesticus cellulanus (Clerck, 1757)

Theridiidae

Achaearanea lunata (Clerck, 1757)

Achaearanea ohlerti (Thorell, 1870)

Achaearanea riparia (Blackwall, 1834)

Achaearanea simulans (Thorell, 1875)

Achaearanea tepidariorum (C. L. Koch, 1841)

Anelosimus aulicus (C. L. Koch, 1838)

Anelosimus vittatus (C. L. Koch, 1836)

Chryso conigerum (Simon, 1914)
Crustulina guttata (Wider, 1834)
Dipoena braccata (C. L. Koch, 1841)
Dipoena coracina (C. L. Koch, 1837)
Dipoena erythropus (Simon, 1881)
Dipoena inornata (O. P.-Cambridge, 1861)
Dipoena melanogaster (C. L. Koch, 1837)
Dipoena nigroreticulata (Simon, 1879)
Dipoena prona (Menge, 1868)
Dipoena torva (Thorell, 1875)
Enoplognatha caricis (Fickert, 1876)
Enoplognatha latimana Hippa & Oksala, 1982
Enoplognatha mordax (Thorell, 1875)
Enoplognatha ovata (Clerck, 1757)
Enoplognatha thoracica (Hahn, 1833)
Episinus angulatus (Blackwall, 1836)
Episinus truncatus Latreille, 1809
Euryopis acuminata tarsalis Pavesi, 1873
Euryopis flavomaculata (C. L. Koch, 1836)
Euryopis laeta (Westring, 1862)
Euryopis quinqueguttata Thorell, 1875
Euryopis saukea Levi, 1951
Lasaeola tristis (Hahn, 1833)
Paidiscura pallens (Blackwall, 1834)
Pholcomma gibbum (Westring, 1851)
Robertus arundineti (O. P.-Cambridge, 1871)
Robertus lividus (Blackwall, 1836)
Robertus neglectus (O. P.-Cambridge, 1871)
Robertus scoticus Jackson, 1914
Robertus truncorum (L. Koch, 1872)
Robertus ungulatus Vogelsanger, 1944
Rugathodes bellicosus (Simon, 1873)
Rugathodes instabilis (O. P.-Cambridge, 1871)
Steatoda albomaculata (Degeer, 1778)
Steatoda bipunctata (Linné, 1758)
Steatoda castanea (Clerck, 1757)
Steatoda grossa (C. L. Koch, 1838)
Steatoda phalerata (Panzer, 1801)
Steatoda triangulosa (Walckenaer, 1802)
Theonoe minutissima (O. P.-Cambridge, 1879)
Theridion betteni Wiehle, 1960
Theridion bimaculatum (Linné, 1767)
Theridion blackwalli O. P.-Cambridge, 1871
Theridion boesenbergi Strand, 1904
Theridion hemerobium Simon, 1914
Theridion impressum L. Koch, 1881
Theridion melanurum Hahn, 1831
Theridion mystaceum L. Koch, 1870
Theridion nigrovariegatum Simon, 1873
Theridion pictum (Walckenaer, 1802)

Theridion pinastri L. Koch, 1872
Theridion simile C. L. Koch, 1836
Theridion sisyphium (Clerck, 1757)
Theridion suaveolens Simon, 1879
Theridion tinctum (Walckenaer, 1802)
Theridion varians Hahn, 1833

Anapidae

Comaroma simoni Bertkau, 1889

Mysmenidae

Mysmenella jobi (Kraus, 1967)
Trogloneta granulum Simon, 1922

Linyphiidae

Abacoproeces saltuum (L. Koch, 1872)
Acartauchenius scurrilis (O. P.-Cambridge, 1872)
Agyneta cauta (O. P.-Cambridge, 1902)
Agyneta conigera (O. P.-Cambridge, 1863)
Agyneta decora (O. P.-Cambridge, 1871)
Agyneta ramosa Jackson, 1912
Agyneta subtilis (O. P.-Cambridge, 1863)
Allomengea scopigera (Grube, 1859)
Allomengea vidua (L. Koch, 1879)
Aphileta misera (O. P.-Cambridge, 1882)
Araeoncus crassiceps (Westring, 1862)
Araeoncus humilis (Blackwall, 1841)
Asthenargus helveticus Schenkel, 1936
Asthenargus paganus (Simon, 1884)
Asthenargus perforatus Schenkel, 1929
Baryphyma pratense (Blackwall, 1861)
Bathyphantes approximatus (O. P.-Cambridge, 1871)
Bathyphantes gracilis (Blackwall, 1841)
Bathyphantes nigrinus (Westring, 1851)
Bathyphantes parvulus (Westring, 1851)
Bathyphantes setiger (F. O. P.-Cambridge, 1894)
Bathyphantes similis Kulczyński, 1894
Bathyphantes simillimus (L. Koch, 1879)
Bathyphantes simillimus buchari Růžička, 1988
Bolyphantes alticeps (Sundevall, 1833)
Bolyphantes crucifer (Menge, 1866)
Bolyphantes index (Thorell, 1856)
Bolyphantes luteolus (Blackwall, 1833)
Carorita limnaea (Crosby & Bishop, 1927)
Centromerita bicolor (Blackwall, 1833)
Centromerita concinna (Thorell, 1875)
Centromerus aequalis (Westring, 1851)
Centromerus arcanus (O. P.-Cambridge, 1873)
Centromerus capucinus (Simon, 1884)
Centromerus cavernarum (L. Koch, 1872)

Centromerus dilutus (O. P.-Cambridge, 1875)
Centromerus incilium (L. Koch, 1881)
Centromerus incultus Falconer, 1915
Centromerus leruthi Fage, 1933
Centromerus levitarsis (Simon, 1884)
Centromerus pabulator (O. P.-Cambridge, 1875)
Centromerus persimilis (O. P.-Cambridge, 1912)
Centromerus prudens (O. P.-Cambridge, 1873)
Centromerus sellarius (Simon, 1884)
Centromerus serratus (O. P.-Cambridge, 1875)
Centromerus silvicola (Kulczyński, 1887)
Centromerus similis Kulczyński, 1894
Centromerus sylvaticus (Blackwall, 1841)
Ceratinella brevipes (Westring, 1851)
Ceratinella brevis (Wider, 1834)
Ceratinella major Kulczyński, 1894
Ceratinella scabrosa (O. P.-Cambridge, 1871)
Ceratinella wideri (Thorell, 1871)
Ceratinopsis romana (O. P.-Cambridge, 1872)
Ceratinopsis stativa (Simon, 1881)
Cnephalogotes obscurus (Blackwall, 1834)
Collinsia distincta (Simon, 1884)
Dicymbium nigrum (Blackwall, 1834)
Dicymbium tibiale (Blackwall, 1836)
Diplocentria bidentata (Emerton, 1882)
Diplocephalus cristatus (Blackwall, 1833)
Diplocephalus dentatus Tullgren, 1955
Diplocephalus helleri (L. Koch, 1869)
Diplocephalus latifrons (O. P.-Cambridge, 1863)
Diplocephalus permixtus (O. P.-Cambridge, 1871)
Diplocephalus picinus (Blackwall, 1841)
Diplostyla concolor (Wider, 1834)
Dismodicus bifrons (Blackwall, 1841)
Dismodicus elevatus (C. L. Koch, 1838)
Donacochara speciosa (Thorell, 1875)
Drapetisca socialis (Sundevall, 1833)
Drepanotylus uncatus (O. P.-Cambridge, 1873)
Entelecara acuminata (Wider, 1834)
Entelecara congenera (O. P.-Cambridge, 1879)
Entelecara erythropus (Westring, 1851)
Entelecara flavipes (Westring, 1834)
Entelecara obscura Miller, 1971
Erigone atra Blackwall, 1833
Erigone dentipalpis (Wider, 1834)
Erigone jaegeri Baehr, 1984
Erigonella hiemalis (Blackwall, 1841)
Erigonella ignobilis (O. P.-Cambridge, 1871)
Erigonoplus globipes (L. Koch, 1872)
Erigonoplus jarmilae (Miller, 1943)
Evansia merens O. P.-Cambridge, 1900

Floronia bucculenta (Clerck, 1757)
Frontinellina frutetorum (C. L. Koch, 1834)
Glyphesis servulus (Simon, 1881)
Gnathonarium dentatum (Wider, 1834)
Gonatium hilare (Thorell, 1875)
Gonatium paradoxum (L. Koch, 1869)
Gonatium rubellum (Blackwall, 1841)
Gonatium rubens (Blackwall, 1833)
Gongyliidiellum edentatum Miller, 1951
Gongyliidiellum latebricola (O. P.-Cambridge, 1871)
Gongyliidiellum murcidum Simon, 1884
Gongyliidiellum vivum (O. P.-Cambridge, 1875)
Gongylidium rufipes (Linné, 1758)
Helophora insignis (Blackwall, 1841)
Hilaira excisa (O. P.-Cambridge, 1871)
Hilaira tatraica Kulczyński, 1915
Hylyphantes graminicola (Sundevall, 1830)
Hylyphantes nigrinus (Simon, 1881)
Hypomma bituberculatum (Wider, 1834)
Hypomma cornutum (Blackwall, 1833)
Hypomma fulvum (Bösenberg, 1902)
Hypocephalus dahli (Lessert, 1909)
Jacksonella falconeri (Jackson, 1908)
Kaestneria dorsalis (Wider, 1834)
Kaestneria pullata (O. P.-Cambridge, 1863)
Kratochviliella bicapitata Miller, 1938
Labulla thoracica (Wider, 1834)
Lasiargus hirsutus (Menge, 1869)
Latithorax faustus (O. P.-Cambridge, 1900)
Lepthyphantes alacris (Blackwall, 1853)
Lepthyphantes alutatus Simon, 1884
Lepthyphantes angulatus (O. P.-Cambridge, 1881)
Lepthyphantes angulipalpis (Westring, 1851)
Lepthyphantes arciger (Kulczyński, 1882)
Lepthyphantes collinus (L. Koch, 1872)
Lepthyphantes cristatus (Menge, 1866)
Lepthyphantes expunctus (O. P.-Cambridge, 1875)
Lepthyphantes flavipes (Blackwall, 1854)
Lepthyphantes geniculatus Kulczyński, 1898
Lepthyphantes gregori Miller, 1947
Lepthyphantes improbulus Simon, 1929
Lepthyphantes insignis O. P.-Cambridge, 1913
Lepthyphantes keyserlingi (Ausserer, 1867)
Lepthyphantes leprosus (Ohlert, 1865)
Lepthyphantes lepthyphantiformis (Strand, 1907)
Lepthyphantes mansuetus (Thorell, 1875)
Lepthyphantes mengei Kulczyński, 1887
Lepthyphantes midas Simon, 1884
Lepthyphantes minutus (Blackwall, 1833)
Lepthyphantes mughi (Fickert, 1875)

Lepthyphantes nanus Kulczyński, 1898
Lepthyphantes nebulosus (Sundevall, 1830)
Lepthyphantes nitidus (Thorell, 1875)
Lepthyphantes nodifer Simon, 1884
Lepthyphantes notabilis Kulczyński, 1887
Lepthyphantes obscurus (Blackwall, 1841)
Lepthyphantes pallidus (O. P.-Cambridge, 1871)
Lepthyphantes pulcher (Kulczyński, 1881)
Lepthyphantes quadrimaculatus Kulczyński, 1896
Lepthyphantes tenebricola (Wider, 1834)
Lepthyphantes tenuis (Blackwall, 1852)
Lepthyphantes zimmermanni Bertkau, 1890
Leptorhoptrum robustum (Westring, 1851)
Lessertia denticelis (Simon, 1884)
Linyphia hortensis Sundevall, 1830
Linyphia triangularis (Clerck, 1757)
Lophomma punctatum (Blackwall, 1841)
Macrargus carpenteri (O. P.-Cambridge, 1894)
Macrargus rufus (Wider, 1834)
Maro lepidus Casemir, 1961
Maro minutus O. P.-Cambridge, 1906
Maro sublestus Falconer, 1915
Maro thaleri Saaristo, 1971
Maso gallicus Simon, 1894
Maso sundevalli (Westring, 1851)
Mecopisthes silus (O. P.-Cambridge, 1872)
Mecynargus morulus (O. P.-Cambridge, 1873)
Meioneta beata (O. P.-Cambridge, 1906)
Meioneta equestris (L. Koch, 1881)
Meioneta fuscipalpis (C. L. Koch, 1836)
Meioneta innotabilis (O. P.-Cambridge, 1863)
Meioneta mollis (O. P.-Cambridge, 1871)
Meioneta rurestris (C. L. Koch, 1836)
Meioneta saxatilis (Blackwall, 1844)
Meioneta simplicatarsis (Simon, 1884)
Metopobactus ascitus (Kulczyński, 1894)
Metopobactus prominulus (O. P.-Cambridge, 1872)
Micrargus apertus (O. P.-Cambridge, 1871)
Micrargus georgescuae Millidge, 1976
Micrargus herbigradus (Blackwall, 1854)
Micrargus subaequalis (Westring, 1851)
Microlinyphia impigra (O. P.-Cambridge, 1871)
Microlinyphia pusilla (Sundevall, 1830)
Microneta viaria (Blackwall, 1841)
Minicia marginella (Wider, 1834)
Minyriolus pusillus (Wider, 1834)
Mioxena blanda (Simon, 1884)
Moebelia penicillata (Westring, 1851)
Nematogmus sanguinolentus (Walckenaer, 1841)
Nerience clathrata (Sundevall, 1830)

Neriere emphana (Walckenaer, 1841)
Neriere furtiva (O. P.-Cambridge, 1870)
Neriere montana (Clerck, 1757)
Neriere peltata (Wider, 1834)
Neriere radiata (Walckenaer, 1841)
Notioscopus sarcinatus (O. P.-Cambridge, 1872)
Oedothorax agrestis (Blackwall, 1853)
Oedothorax apicatus (Blackwall, 1850)
Oedothorax fuscus (Blackwall, 1834)
Oedothorax gibbifer (Kulczyński, 1882)
Oedothorax gibbosus (Blackwall, 1841)
Oedothorax retusus (Westring, 1851)
Oreonetides vaginatus (Thorell, 1872)
Ostearius melanopygius (O. P.-Cambridge, 1879)
Panamomops affinis Miller & Kratochvíl, 1939
Panamomops fagei Miller & Kratochvíl, 1939
Panamomops inconspicuus (Miller & Valešová, 1964)
Panamomops latifrons Miller, 1959
Panamomops mengei Simon, 1926
Panamomops sulcifrons (Wider, 1834)
Pelecopsis elongata (Wider, 1834)
Pelecopsis mengei (Simon, 1884)
Pelecopsis nemoralis (Blackwall, 1841)
Pelecopsis parallela (Wider, 1834)
Pelecopsis radicola (L. Koch, 1872)
Peponocranium orbiculatum (O. P.-Cambridge, 1882)
Peponocranium praeceps Miller, 1947
Pityohyphantes phrygianus (C. L. Koch, 1836)
Pocadicnemis carpathica (Chyzer, 1894)
Pocadicnemis pumila (Blackwall, 1841)
Pociloneta variegata (Blackwall, 1841)
Porrhomma campbelli F. O. P.-Cambridge, 1894
Porrhomma convexum (Westring, 1851)
Porrhomma egeria Simon, 1884
Porrhomma errans (Blackwall, 1841)
Porrhomma lativelum Tretzel, 1956
Porrhomma microphthalmum (O. P.-Cambridge, 1871)
Porrhomma moderatum Šilhavý, 1958
Porrhomma montanum Jackson, 1913
Porrhomma omisum Miller, 1971
Porrhomma pallidum Jackson, 1913
Porrhomma pygmaeum (Blackwall, 1834)
Saaristoa abnormis (Blackwall, 1841)
Saaristoa firma (O. P.-Cambridge, 1905)
Saloca diceros (O. P.-Cambridge, 1871)
Saloca kulczynskii Miller & Kratochvíl, 1939
Satilatlas britteni (Jackson, 1912)
Savignia frontata (Blackwall, 1833)
Scotargus pilosus Simon, 1913
Silometopus elegans (O. P.-Cambridge, 1872)

Silometopus reussi (Thorell, 1871)
Sintula corniger (Blackwall, 1856)
Sisicus apertus (Holm, 1939)
Stemonyphantes conspersus (L. Koch, 1879)
Stemonyphantes lineatus (Linné, 1758)
Syedra gracilis (Menge, 1869)
Tallusia experta (O. P.-Cambridge, 1871)
Tapinocyba affinis (Lessert, 1907)
Tapinocyba biscissa (O. P.-Cambridge, 1872)
Tapinocyba insecta (L. Koch, 1869)
Tapinocyboides pygmaeus (Menge, 1869)
Tapinopa longidens (Wider, 1834)
Taranucus setosus (O. P.-Cambridge, 1863)
Theonina cornix (Simon, 1881)
Theonina kratochvili Miller & Weiss, 1979
Thyreosthenius biovatus (O. P.-Cambridge, 1875)
Thyreosthenius parasiticus (Westring, 1851)
Tiso vagans (Blackwall, 1834)
Trematocephalus cristatus (Wider, 1834)
Trichoncoides piscator (Simon, 1884)
Trichoncus affinis Kulczyński, 1894
Trichoncus auritus (L. Koch, 1869)
Trichoncus hackmani Millidge, 1956
Trichoncus pusillus Miller, 1959
Trichoncus simoni (Lessert, 1904)
Trichoncus sordidus Simon, 1884
Trichopterna cito (O. P.-Cambridge, 1872)
Trichopterna thorelli (Westring, 1862)
Troxochrus nasutus Schenkel, 1925
Troxochrus scabriculus (Westring, 1851)
Typhochraestus digitatus (O. P.-Cambridge, 1872)
Walckenaeria acuminata Blackwall, 1833
Walckenaeria antica (Wider, 1834)
Walckenaeria atrotibialis (O. P.-Cambridge, 1878)
Walckenaeria capito (Westring, 1861)
Walckenaeria corniculans (O. P.-Cambridge, 1875)
Walckenaeria cucullata (C. L. Koch, 1936)
Walckenaeria cuspidata (Blackwall, 1833)
Walckenaeria dysderoides (Wider, 1834)
Walckenaeria furcillata (Menge, 1869)
Walckenaeria kochi (O. P.-Cambridge, 1872)
Walckenaeria mitrata (Menge, 1868)
Walckenaeria monoceros (Wider, 1834)
Walckenaeria nodosa O. P.-Cambridge, 1873
Walckenaeria nudipalpis (Westring, 1851)
Walckenaeria obtusa Blackwall, 1836
Walckenaeria simplex (Chyzer, 1894)
Walckenaeria unicornis O. P.-Cambridge, 1861
Walckenaeria vigilax (Blackwall, 1853)
Wubanooides uralensis (Pakhorukov, 1981)

Tetragnathidae

- Meta menardi (Latreille, 1804)
- Metellina mengei (Blackwall, 1869)
- Metellina merianae (Scopoli, 1763)
- Metellina segmentata (Clerck, 1757)
- Pachygnatha clercki Sundevall, 1823
- Pachygnatha degeeri Sundevall, 1830
- Pachygnatha listeri Sundevall, 1830
- Tetragnatha dearmata Thorell, 1873
- Tetragnatha extensa (Linné, 1758)
- Tetragnatha montana Simon, 1874
- Tetragnatha nigrita Lendl, 1886
- Tetragnatha obtusa C. L. Koch, 1837
- Tetragnatha pinicola L. Koch, 1870
- Tetragnatha striata L. Koch, 1862
- Zygiella atrica (C. L. Koch, 1845)
- Zygiella montana (C. L. Koch, 1839)
- Zygiella stroemi (Thorell, 1870)
- Zygiella x-notata (Clerck, 1757)

Araneidae

- Aculepeira ceropegia (Walckenaer, 1802)
- Agalenatea redii (Scopoli, 1763)
- Araneus alsine (Walckenaer, 1802)
- Araneus angulatus Clerck, 1757
- Araneus diadematus Clerck, 1757
- Araneus marmoreus Clerck, 1757
- Araneus nordmanni (Thorell, 1870)
- Araneus quadratus Clerck, 1757
- Araneus saevus (L. Koch, 1872)
- Araneus sturmi (Hahn, 1831)
- Araneus triguttatus (Fabricius, 1775)
- Araniella alpica (L. Koch, 1869)
- Araniella cucurbitina (Clerck, 1757)
- Araniella displicata (Hentz, 1847)
- Araniella opisthographa (Kulczyński, 1905)
- Argiope bruennichi (Scopoli, 1772)
- Cercidia prominens (Westring, 1851)
- Cyclosa conica (Pallas, 1772)
- Cyclosa oculata (Walckenaer, 1802)
- Gibbaranea bituberculata (Walckenaer, 1802)
- Gibbaranea gibbosa (Walckenaer, 1802)
- Gibbaranea omoeda (Thorell, 1870)
- Gibbaranea ullrichi (Hahn, 1835)
- Hypsosinga albovittata (Westring, 1851)
- Hypsosinga heri (Hahn, 1831)
- Hypsosinga pygmaea (Sundevall, 1832)
- Hypsosinga sanguinea (C. L. Koch, 1844)
- Larinioides cornutus (Clerck, 1757)
- Larinioides folium (Schränk, 1803)

Larinioides ixobolus (Thorell, 1873)
Larinioides patagiatus (Clerck, 1757)
Larinioides sclopetarius (Clerck, 1757)
Mangora acalypha (Walckenaer, 1802)
Nuctenea silvicultrix (C. L. Koch, 1844)
Nuctenea umbratica (Clerck, 1757)
Singa hamata (Clerck, 1757)
Singa nitidula C. L. Koch, 1844
Zilla diodia (Walckenaer, 1802)

Lycosidae

Acantholycosa lignaria (Clerck, 1757)
Acantholycosa norvegica sudetica (L. Koch, 1875)
Alopecosa accentuata (Latreille, 1817)
Alopecosa aculeata (Clerck, 1757)
Alopecosa cuneata (Clerck, 1757)
Alopecosa cursor (Hahn, 1831)
Alopecosa inquilina (Clerck, 1757)
Alopecosa mariae (Dahl, 1908)
Alopecosa pinetorum (Thorell, 1856)
Alopecosa pulverulenta (Clerck, 1757)
Alopecosa schmidti (Hahn, 1835)
Alopecosa solitaria (Herman, 1879)
Alopecosa striatipes (C. L. Koch, 1839)
Alopecosa sulzeri (Pavesi, 1873)
Alopecosa taeniata (C. L. Koch, 1835)
Alopecosa trabalis (Clerck, 1757)
Arctosa alpigena lamperti (Dahl, 1908)
Arctosa cinerea (Fabricius, 1777)
Arctosa figurata (Simon, 1876)
Arctosa leopardus (Sundevall, 1833)
Arctosa maculata (Hahn, 1822)
Arctosa perita (Latreille, 1799)
Aulonia albimana (Walckenaer, 1805)
Hygrolycosa rubrofasciata (Ohlert, 1865)
Lycosa singoriensis (Laxmann, 1770)
Pardosa agrestis (Westring, 1862)
Pardosa agricola (Thorell, 1856)
Pardosa alacris (C. L. Koch, 1833)
Pardosa amentata (Clerck, 1757)
Pardosa bifasciata (C. L. Koch, 1834)
Pardosa evelinae Wunderlich, 1984
Pardosa ferruginea (L. Koch, 1870)
Pardosa hortensis (Thorell, 1872)
Pardosa hyperborea (Thorell, 1872)
Pardosa lugubris (Walckenaer, 1802)
Pardosa maisa Hippa & Mannila, 1982
Pardosa monticola (Clerck, 1757)
Pardosa morosa (L. Koch, 1870)
Pardosa nigriceps (Thorell, 1856)

Pardosa paludicola (Clerck, 1757)
Pardosa palustris (Linné, 1758)
Pardosa prativaga (L. Koch, 1870)
Pardosa pullata (Clerck, 1757)
Pardosa riparia (C. L. Koch, 1833)
Pardosa sordidata (Thorell, 1875)
Pardosa sphagnicola (Dahl, 1908)
Pirata hygrophilus Thorell, 1872
Pirata knorri (Scopoli, 1763)
Pirata latitans (Blackwall, 1841)
Pirata piraticus (Clerck, 1757)
Pirata piscatorius (Clerck, 1757)
Pirata tenuitarsis Simon, 1876
Pirata uliginosus (Thorell, 1856)
Tricca lutetiana (Simon, 1876)
Trochosa robusta (Simon, 1876)
Trochosa ruricola (Degeer, 1778)
Trochosa spinipalpis (F. O. P.-Cambridge, 1895)
Trochosa terricola Thorell, 1856
Xerolycosa miniata (C. L. Koch, 1834)
Xerolycosa nemoralis (Westring, 1861)

Pisauridae

Dolomedes fimbriatus (Clerck, 1757)
Dolomedes plantarius (Clerck, 1757)
Pisaura mirabilis (Clerck, 1757)

Agelenidae

Agelena gracilens C. L. Koch, 1841
Agelena labyrinthica (Clerck, 1757)
Histopona torpida (C. L. Koch, 1834)
Tegenaria agrestis (Walckenaer, 1802)
Tegenaria atrica C. L. Koch, 1834
Tegenaria campestris C. L. Koch, 1834
Tegenaria domestica (Clerck, 1757)
Tegenaria ferruginea (Panzer, 1804)
Tegenaria silvestris L. Koch, 1872
Textrix denticulata (Olivier, 1789)

Cybaeidae

Cybaeus angustiarum L. Koch, 1868

Argyronetidae

Argyroneta aquatica (Clerck, 1757)

Hahniidae

Antistea elegans (Blackwall, 1841)
Cryphoea silvicola (C. L. Koch, 1834)
Hahnia difficilis Harm, 1966
Hahnia helveola Simon, 1875

Hahnia montana (Blackwall, 1841)
Hahnia nava (Blackwall, 1841)
Hahnia ononidum Simon, 1875
Hahnia picta Kulczyński, 1897
Hahnia pusilla C. L. Koch, 1841

Dictynidae

Altella biuncata (Miller, 1949)
Archaeodictyna consecuta (O. P.-Cambridge, 1872)
Archaeodictyna minutissima (Miller, 1958)
Argenna patula (Simon, 1874)
Argenna subnigra (O. P.-Cambridge, 1861)
Brommella falcigera (Balogh, 1935)
Cicurina cicur (Fabricius, 1793)
Dictyna arundinacea (Linné, 1758)
Dictyna civica (Lucas, 1850)
Dictyna latens (Fabricius, 1775)
Dictyna major Menge, 1869
Dictyna pusilla Thorell, 1856
Dictyna uncinata Thorell, 1856
Emblyna annulipes (Blackwall, 1846)
Lathys humilis (Blackwall, 1855)
Lathys nielseni (Schenkel, 1932)
Lathys puta (O. P.-Cambridge, 1863)
Mastigusa arietina (Thorell, 1871)
Nigma flavescens (Walckenaer, 1830)
Nigma walckenaeri (Roewer, 1951)

Amaurobiidae

Amaurobius fenestralis (Stroem, 1768)
Amaurobius ferox (Walckenaer, 1830)
Amaurobius jugorum L. Koch, 1868
Callobius claustrarius (Hahn, 1833)
Coelotes atropos (Walckenaer, 1830)
Coelotes inermis (L. Koch, 1855)
Coelotes terrestris (Wider, 1834)

Titanoecidae

Titanoeca quadriguttata (Hahn, 1833)
Titanoeca schineri L. Koch, 1872
Titanoeca tristis L. Koch, 1872

Oxyopidae

Oxyopes ramosus (Panzer, 1804)

Anyphaenidae

Anyphaena accentuata (Walckenaer, 1802)
Anyphaena furva Miller, 1968

Liocranidae

- Agracina striata (Kulczyński, 1882)
- Agroeca brunnea (Blackwall, 1833)
- Agroeca cuprea Menge, 1873
- Agroeca lusatica (L. Koch, 1875)
- Agroeca proxima (O. P.-Cambridge, 1871)
- Apostenus fuscus Westring, 1851
- Liocranum rupicola (Walckenaer, 1830)
- Liocranum rutilans (Thorell, 1875)
- Phrurolithus festivus (C. L. Koch, 1835)
- Phrurolithus minimus C. L. Koch, 1839
- Phrurolithus pullatus Kulczyński, 1897
- Scotina palliardi (L. Koch, 1881)
- Scotina celans (Blackwall, 1841)

Clubionidae

- Cheiracanthium effossum Herman, 1879
- Cheiracanthium elegans Thorell, 1875
- Cheiracanthium erraticum (Walckenaer, 1802)
- Cheiracanthium montanum L. Koch, 1878
- Cheiracanthium oncognathum Thorell, 1871
- Cheiracanthium virescens (Sundevall, 1833)
- Clubiona alpicola Kulczyński, 1882
- Clubiona brevipes Blackwall, 1841
- Clubiona coerulescens L. Koch, 1867
- Clubiona compta C. L. Koch, 1839
- Clubiona corticalis (Walckenaer, 1802)
- Clubiona diversa O. P.-Cambridge, 1862
- Clubiona dvoraki Miller, 1947
- Clubiona frutetorum L. Koch, 1866
- Clubiona genevensis L. Koch, 1866
- Clubiona germanica Thorell, 1870
- Clubiona kulczynskii Lessert, 1905
- Clubiona lutescens Westring, 1851
- Clubiona marmorata L. Koch, 1866
- Clubiona neglecta O. P.-Cambridge, 1862
- Clubiona norvegica Strand, 1900
- Clubiona pallidula (Clerck, 1757)
- Clubiona phragmitis C. L. Koch, 1843
- Clubiona reclusa O. P.-Cambridge, 1863
- Clubiona similis L. Koch, 1867
- Clubiona stagnatilis Kulczyński, 1897
- Clubiona subsultans Thorell, 1875
- Clubiona subtilis L. Koch, 1867
- Clubiona terrestris Westring, 1851
- Clubiona trivialis C. L. Koch, 1843

Corinnidae

Ceto laticeps (Canestrini, 1868)

Zodariidae

Zodarion germanicum (C. L. Koch, 1837)

Zodarion rubidum Simon, 1914

Gnaphosidae

Berlandina cinerea (Menge, 1872)

Callilepis nocturna (Linné, 1758)

Callilepis schuszteri (Herman, 1879)

Cryptodrassus pulchellus Miller, 1947

Drassodes cupreus (Blackwall, 1834)

Drassodes lapidosus (Walckenaer, 1802)

Drassodes pubescens Thorell, 1856

Drassyllus lutetianus (L. Koch, 1866)

Drassyllus praeficus (L. Koch, 1866)

Drassyllus pumilus (C. L. Koch, 1839)

Drassyllus pusillus (C. L. Koch, 1833)

Drassyllus villicus (Thorell, 1875)

Echemus angustifrons (Westring, 1862)

Gnaphosa badia (L. Koch, 1866)

Gnaphosa bicolor (Hahn, 1833)

Gnaphosa inconspicua Simon, 1878

Gnaphosa lapponum (L. Koch, 1866)

Gnaphosa lucifuga (Walckenaer, 1802)

Gnaphosa lugubris (C. L. Koch, 1839)

Gnaphosa microps Holm, 1939

Gnaphosa montana (L. Koch, 1866)

Gnaphosa nigerrima L. Koch, 1877

Gnaphosa opaca Herman, 1879

Haplodrassus bohemicus Miller & Buchar, 1977

Haplodrassus cognatus (Westring, 1862)

Haplodrassus dalmatensis (L. Koch, 1866)

Haplodrassus kulczynskii Lohmander, 1942

Haplodrassus minor (O. P.-Cambridge, 1879)

Haplodrassus moderatus (Kulczyński, 1897)

Haplodrassus signifer (C. L. Koch, 1839)

Haplodrassus silvestris (Blackwall, 1833)

Haplodrassus soerenseni (Strand, 1900)

Haplodrassus umbratilis (L. Koch, 1866)

Micaria aenea Thorell, 1871

Micaria dives (Lucas, 1846)

Micaria formicaria (Sundevall, 1832)

Micaria fulgens (Walckenaer, 1802)

Micaria guttulata (C. L. Koch, 1839)

Micaria lenzi Bösenberg, 1899

Micaria nivosa L. Koch, 1866

Micaria pulicaria (Sundevall, 1832)

Micaria romana L. Koch, 1866

Micaria silesiaca L. Koch, 1875
Micaria subopaca Westring, 1862
Phaeocedus braccatus (L. Koch, 1866)
Poecilochroa conspicua (L. Koch, 1866)
Scotophaeus quadripunctatus (Linné, 1758)
Scotophaeus scutulatus (L. Koch, 1866)
Sosticus loricatus (L. Koch, 1866)
Trachyzelotes pedestris (C. L. Koch, 1837)
Urozelotes rusticus (L. Koch, 1872)
Zelotes aeneus (Simon, 1878)
Zelotes apricorum (L. Koch, 1876)
Zelotes atrocaeruleus (Simon, 1878)
Zelotes aurantiacus Miller, 1967
Zelotes clivicola (L. Koch, 1870)
Zelotes declinans (Kulczyński, 1897)
Zelotes electus (C. L. Koch, 1839)
Zelotes erebeus (Thorell, 1870)
Zelotes exiguus (Müller & Schenkel, 1895)
Zelotes latreillei (Simon, 1878)
Zelotes longipes (L. Koch, 1866)
Zelotes petrensis (C. L. Koch, 1839)
Zelotes puritanus Chamberlin, 1922
Zelotes pygmaeus Miller, 1943
Zelotes subterraneus (C. L. Koch, 1833)
Zelotes vinealis (Kulczyński, 1897)

Zoridae

Zora manicata Simon, 1878
Zora nemoralis (Blackwall, 1861)
Zora silvestris Kulczyński, 1897
Zora spinimana (Sundevall, 1833)

Heteropodidae

Micrommata virescens (Clerck, 1757)

Philodromidae

Philodromus aureolus (Clerck, 1757)
Philodromus cespitum (Walckenaer, 1802)
Philodromus collinus C. L. Koch, 1935
Philodromus dispar Walckenaer, 1826
Philodromus emarginatus (Schränk, 1803)
Philodromus fuscomarginatus (Degeer, 1778)
Philodromus margaritatus (Clerck, 1757)
Philodromus rufus Walckenaer, 1826
Thanatus arenarius Thorell, 1872
Thanatus formicinus (Clerck, 1757)
Thanatus pictus L. Koch, 1881
Thanatus sabulosus (Menge, 1875)
Thanatus striatus C. L. Koch, 1845
Thanatus vulgaris Simon, 1870

Tibellus maritimus (Menge, 1875)
Tibellus oblongus (Walckenaer, 1802)
Tibellus vittatus (Thorell, 1875)

Thomisidae

Coriarachne depressa (C. L. Koch, 1837)
Diaea dorsata (Fabricius, 1777)
Diaea pictilis (Banks, 1896)
Heriaeus mellottei Simon, 1866
Misumena vatia (Clerck, 1757)
Misumenops tricuspidatus (Fabricius, 1775)
Ozyptila atomaria (Panzer, 1801)
Ozyptila blackwalli Simon, 1875
Ozyptila brevipes (Hahn, 1826)
Ozyptila kotulai Kulczyński, 1898
Ozyptila nigrita (Thorell, 1875)
Ozyptila praticola (C. L. Koch, 1837)
Ozyptila rauda Simon, 1875
Ozyptila scabricula (Westring, 1851)
Ozyptila simplex (O. P.-Cambridge, 1862)
Ozyptila trux (Blackwall, 1846)
Pistius truncatus (Pallas, 1772)
Synaema globosum (Fabricius, 1775)
Thomisus onustus Walckenaer, 1806
Tmarus piger (Walckenaer, 1802)
Xysticus acerbus Thorell, 1872
Xysticus audax (Schrank, 1803)
Xysticus bifasciatus C. L. Koch, 1837
Xysticus cor Canestrini, 1873
Xysticus cristatus (Clerck, 1757)
Xysticus erraticus (Blackwall, 1834)
Xysticus ferrugineus Menge, 1876
Xysticus gallicus Simon, 1875
Xysticus kempeleni Thorell, 1872
Xysticus kochi Thorell, 1872
Xysticus lanio C. L. Koch, 1835
Xysticus luctator L. Koch, 1870
Xysticus luctuosus (Blackwall, 1836)
Xysticus marmoratus Thorell, 1875
Xysticus ninnii Thorell, 1872
Xysticus obscurus Collett, 1877
Xysticus robustus (Hahn, 1832)
Xysticus sabulosus (Hahn, 1832)
Xysticus striatipes L. Koch, 1870
Xysticus ulmi (Hahn, 1831)

Salticidae

Aelurillus v-insignitus (Clerck, 1757)
Attulus saltator (Simon, 1868)
Ballus chalybeius (Walckenaer, 1802)

Bianor aurocinctus (Ohlert, 1865)
Carrhotus xanthogramma (Latreille, 1819)
Chalcoscirtus brevicymbialis Wunderlich, 1980
Dendryphantes hastatus (Clerck, 1757)
Dendryphantes rudis (Sundevall, 1832)
Euophrys aequipes (O. P.-Cambridge, 1871)
Euophrys erratica (Walckenaer, 1826)
Euophrys frontalis (Walckenaer, 1802)
Euophrys obsoleta (Simon, 1868)
Euophrys petrensis C. L. Koch, 1837
Euophrys thorelli Kulczyński, 1891
Euophrys westringi (Simon, 1868)
Evarcha arcuata (Clerck, 1757)
Evarcha flammata (Clerck, 1757)
Evarcha laetabunda (C. L. Koch, 1846)
Heliophanus aeneus (Hahn, 1831)
Heliophanus auratus C. L. Koch, 1835
Heliophanus cupreus (Walckenaer, 1802)
Heliophanus dampfi Schenkel, 1923
Heliophanus dubius C. L. Koch, 1835
Heliophanus flavipes Hahn, 1832
Heliophanus pouzdranensis Miller, 1958
Leptorchestes berlinensis (C. L. Koch, 1846)
Marpissa muscosa (Clerck, 1757)
Marpissa nivoyi (Lucas, 1846)
Marpissa pomatia (Walckenaer, 1802)
Marpissa radiata (Grube, 1859)
Myrmarachne formicaria (Degeer, 1778)
Neon levis (Simon, 1871)
Neon rayi (Simon, 1875)
Neon reticulatus (Blackwall, 1853)
Neon valentulus Falconer, 1912
Pellenes nigrociliatus (L. Koch, 1875)
Pellenes tripunctatus (Walckenaer, 1802)
Philaeus chrysops (Poda, 1761)
Phlegra bresnieri (Lucas, 1837)
Phlegra fasciata (Hahn, 1826)
Phlegra festiva (C. L. Koch, 1834)
Phlegra fuscipes Kulczyński, 1891
Pseudicius encarpatus (Walckenaer, 1802)
Salticus cingulatus (Panzer, 1797)
Salticus scenicus (Clerck, 1757)
Salticus zebraneus (C. L. Koch, 1837)
Sitticus caricis (Westring, 1861)
Sitticus floricola (C. L. Koch, 1837)
Sitticus penicillatus (Simon, 1875)
Sitticus pubescens (Fabricius, 1775)
Sitticus rupicola (C. L. Koch, 1837)
Sitticus saxicola (C. L. Koch, 1848)
Sitticus terebratus (Clerck, 1757)

Sitticus zimmermanni (Simon, 1877)
Synageles hilarulus (C. L. Koch, 1846)
Synageles venator (Lucas, 1836)

ACKNOWLEDGEMENTS. We wish to express our cordial thanks to all members of Arachnological section of Czech Entomological Society for ready information on recent data.

REFERENCES

- BUCHAR J. 1992: Komentierte Artenliste der Spinnen Böhmens. *Acta Univ. Carol.-Biol.* **36**: 383–428.
PLATNICK N. I. 1993: *Advances in spider taxonomy 1988–1991. With synonymies and transfers 1940–1980.* New York Entomological Society and The American Museum of Natural History.