

Marina Mučalica
Natural Sciences Museum
Belgrade

THE REVIEW OF THE FAUNA OF HARVESTMEN (Opiliones, Arachnida)
INVESTIGATIONS IN YUGOSLAVIA

The first written record of the fauna of harvestmen in Yugoslavia was made by Luigi Ferdinando Marsigli (1726, *Danubius pannonico-mysicus, observationibus, geographicis,...*), and the first more detailed data were given by Roewer (1923, *Die Weberknechte der Erde*). The first catalogue on the fauna of harvestmen in Yugoslavia was written by Jovan Hadži (1973, *Catalogus faunae Jugoslaviae III/4, Opilionidea*).

In his catalogue, Jovan Hadži lists 164 species of harvestmen characteristic for the Yugoslav fauna. After the revision of Hadži's collection (Tone Novak) and after some additional investigations, 133 species have been recorded. The difference in the number of species has been partially due to the synonymics. It has been supposed that the number of species is greater, which will be proved by further research and by the solving of taxonomic problems of the family Sironidae, Travuniidae and genera *Paranemastoma*, *Mitostoma*, *Trogulus*, *Opilio*, *Platybunus*, *Metaplatybunus*.

The given list conveys only the current review of harvestmen fauna in Yugoslavia.

CYPHOPHTALMI

Sironidae

Siro duricorius (JOSEPH, 1868)

S. g. gjorgjevici HADŽI, 1933

S.g. klisurae HADŽI, 1973

S. minutus KRATOCHVIL, 1937

S. silhavyi KRATOCHVIL, 1937

S. teyrovskyi KRATOCHVIL, 1937

S. noctiphilus KRATOCHVIL, 1940

S. montenegrinus HADŽI, 1973

S. ohridanus HADŽI, 1973

S. serbicus HADŽI, 1973

LANIATORES

Travuniidae

Peltonychia gabria ROEWER, 1935

P. postumicola (Roewer, 1935)

P. tenuis ROEWER, 1935

P. troglodytes (ROEWER, 1935)

P. hofferi (ŠILHAVY, 1936)

P. borisi (HADŽI, 1973)

Travunia anophthalma ABSOLON et KRATOCHVIL, 1932

T. jandai KRATOCHVIL, 1937

Erebomastriidae

Holoscotolemon unicolor ROEWER, 1915

Phalangodidae

Scotolemon doriae PAVESI, 1878

PALPATORES

Nemastomatidae

Nemastoma lugubre (MULLER, 1776)
N. triste (C.L. KOCH, 1835)
N. dentigerum CANESTRINI, 1873)
N.b. bidentatum ROEWER, 1914
N. b. sparsum GRUBER et MARTENS, 1968

Paranemastoma quadripunctatum (PERTY, 1833)

P. bicuspidatum (C.L. KOCH, 1835)
P. kochi (NOWICKI, 1870)
P. silli (HERMAN, 1871)
P. thessalum (SIMON, 1885)
P. wernerii (KULCZYNSKI, 1903)
P. armatum (KULCZYNSKI, 1909)
P. titaniacum (ROEWER, 1914)
P. ammuelleri (ROEWER, 1915)
P. corcyraeum (ROEWER, 1917)
P. mackenseni (ROEWER, 1923)
P. radewi (ROEWER, 1926)
P. laevipes SCHENCKEL, 1947)
P. aurigerum (ROEWER, 1951)
P. bimaculosum (ROEWER, 1951)
P. insulare (ROEWER, 1951)
P. ryla (ROEWER, 1951)
P. strasseri (ROEWER, 1951)
P. bipunctatum (HADŽI, 1973)
P. bolei (HADŽI, 1973)
P. carneluttii (HADŽI, 1973)
P. gostivarense (HADŽI, 1973)
P. grabovicae (HADŽI, 1973)
P. macedonicum (HADŽI, 1973)
P. megarae (HADŽI, 1973)
P. multisignatum (HADŽI, 1973)
P. nigrum (HADŽI, 1973)

Pyza bosnica (ROEWER, 1919)

Buresiolla buresi (ROEWER, 1926)

Histicostoma dentipalpe (AUSSERER, 1867)

Carinostoma elegans (SOERENSEN, 1894)

C. carinatum (ROEWER, 1914)

Mitostoma chrysomelas (HERMANN, 1804)

M. cancellatum (ROEWER, 1917)

M. alpinum (HADŽI, 1931)

M. o. olgae (ŠILHAVY, 1939)

M. o. decorum (ŠILHAVY, 1939)

M. o. kratochvili (ŠILHAVY, 1939)

M. o. zorae HADŽI, 1973

M. karamani (HADŽI, 1940)

M. ornatum (HADŽI, 1940)

M. carneltuttii HADŽI, 1973

M. zmajev_cae HADŽI, 1973

Dicranolasmatidae

Dicranolasma scabrum (HERBST, 1799)

D. verhoeffi DAHL, 1903

Trogulidae

Trogulus nepaeformis (SCOPOLI, 1763)

T. t. tricarinatus (LINNAEUS, 1767)

T.t.hirtus DAHL, 1903

T. coriziformis C.L. KOCH, 1835

T. squamatus C.L. KOCH, 1839

T. tingiformis C.L. KOCH, 1848

T. aquaticus SIMON, 1879

T. torosus SIMON, 1885

T. graecus DAHL, 1903

T. setosissimus ROEWER, 1940

T. oltenicus AVRAM. 1971

Anelasmaocephalus hadzii MARTENS, 1978

Ischyropsalididae

Ischyropsalis h. hellwigi (PANZER, 1794)

I. kollari C.L. KOCH, 1839

I. muellneri HAMANN, 1898

I. hadzii ROEWER, 1950

Phalangiidae

Phalangium opilio LINNAEUS, 1761

Metaphalangium propinquum (LUCAS, 1847)

Opilio parietinus (DE GEER, 1778)

O. saxatilis C.L. KOCH, 1839

O. cf. olympica (KULCZYNSKY, 1903)

O. dinaricus ŠILHAVY, 1938

O. ruzickai ŠILHAVY, 1938

O. transversalis ROEWER, 1956

O. cf. ravennae SPOEK, 1926

O. magnus HADŽI, 1973

Platybunus bucephalus (C.L. KOCH, 1835)

P. hadzii KRATOCHVIL, 1935

P. cf. kratochvili HADŽI, 1973

P. spinosissimus HADŽI, 1973

Metaplatybunus strigosus (C. L. KOCH, 1867)

M. drenskii (ŠILHAVY, 1965)

M. carneluttii HADŽI, 1973

Megabunus armatus (KULCZYNSKI, 1887)

Rilaena triangularis (HERBST, 1799)

R. cf. buresi ŠILHAVY, 1965

R. balcanica Šilhavy, 1965

Eudasylobus nicaensis (THORELL, 1876)

Lophopilio palpinalis (HERBST, 1799)

Zacheus crista (BRULLE, 1832)

Egaenus convexus (C.L. KOCH, 1835)

Oligolophus tridens (C.L.KOCH, 1836)

Iacinius horridus (PANZER, 1794)

I. ephippiatus (C.L. KOCH, 1835)

I. dentiger (C. L. KOCH, 1848)

Odiellus spinosus (BOSC, 1792)

O. lendli (SOERENSEN, 1894)

Mitopus morio (FABRICIUS, 1799)

M. glacialis (HEER, 1845)

Gyas annulatus (OLIVIER, 1791)

G. titanus SIMON, 1879

Dicranopalpus gasteinensis DOLESCHALL, 1852

Amilenus aurantiacus (SIMON, 1881)

Astrobonus helleri (AUSSERER, 1867)

A. laevipes (CANESTRINI, 1872)

A. dinaricus ROEWER, 1915

Leiobunum rotundum (LATREILLE 1798)

L. rupestre (HERBST, 1799)

L. roseum C.L. KOCH, 1839)

L. limbatum C. L. KOCH, 1861

Nelima doriae (CANESTRINI, 1871)

N. troglodytes ROEWER, 1910

N. semproni SZALAY, 1951

REFERENCES

1. Hadži J. (1973) Opiliones, Catalogus faunae Jugoslaviae, III., (4), Ljubljana
2. Marsili, A. F. (1726) Danubius Panonico-mysicus. P. Grosse R. Chr. Alberts, P. de Hondt., Haga, Herm. Uytwerf & Franc. Changuion, Amstelodamus.
3. Martens, J. (1978) Weberknechte, Opiliones, Die Tierwelt Deutschlands 64, Jena
4. Roewer C.F. (1923) Die Weberknechte der Erde, Jena
5. Starega, W. (1976) Die Weberknechte (Opiliones, excl. Sironidae) Bulgariens, Annales zoologici, 33, 18, Warszawa